













A **PLAYCORE** Company



T [å^|ÄÄÜË-G

[illegible]

POËJÖY OEÜÖÁÖPÖÁVUUŠÙÄÜÒÛWÜÖÖÄÜÒÛWÜÖÖ



WǎVÜÖZÜQVÒÁÜÜÖWÔNÂÜÚÒÔÖÖÖ/ÖPÙ

HF!' &
K CC8 'G@5 H'HF5 G<'F979DH57 @

ÜæKÚjə\ə*ſÁæ^Á[{\ÁĜĀĀĀ[ĒſÖCE/Ů\~@!}Ä^||, ÁŮ^ÁŮŮÁ\^•~\^ſ^æ^á\{à\ſÁ^áÁc&\~ā^ſ^Á^ÁſcáÜjæ
Ü•c\•ÁVÜĒĒVŮĜĀĀĀ[ĒſÖ\~@!}Ä^||, Áŷ^Ēāā@aſÁ^ā, [[ācāĀāā[[ā\^•\cāĀÁVÜĒĒVŮĜĀĀĀ[Ēſ
Ü\~@!}Ä^||, Áŷ^ÁVÜĒĒVŮĜĒ

Øæ ^küā *•æ^ÁĐÍ +ć/Ġ|æǺŲ ű { Ā|æ^ā Ā|^&ā } Ā~ } &@āÁ[{ ĀĠāǺc^|Ā @^đǺŲ|Ā|^&cāđ Ā ŲĀ ^|ā^āÈ


Øæ ^Â[ææ * ʌŌŌÁ ^&c[•ææÁ[, á^! ʌ æ^á/æ | ææ } Ē ç^ } ʌ^! áĒ! ÁŌ áā] ^áÁ æçæ ā^á/æ æ^! Áæ! ææ } È

Pæå, æ^kœÁœå, æ^Áæc}^!•Áæ^Áā&/æ^åÈ




Öä ^} • ä } • ÄÛ + Öä ^c' Ëæ @Á^&] æß^Áæ Áç' æ|@ä @Á Á- +Ë

ÖÖVOEŠÁE


Q | Åæ c^ | Å | ææ | K Ð Å@ çÁ ~ • Åæ | Å@ Å Ð | Åæ Å G F E S Å
&æ | ææ ^ Å | | • Å ^ ç ^ ^ } Å@ Å | æ | • Åæ å Å@ Åä * Å } Å@ Å | Å } | ^ È
V @ Å | ~ • Å ^ Å | ^ Å | Åæ | Åæ c^ | Å | ææ | Å | Åæ È
Q | Åæ | æ ç Å | { ^ Å | K U ' à çæ c^ Å Ð Å | } * Å ^ | | } Å | æ ^ •
ä Å | æ ^ Å - @ Å Ð Å@ çÁ ~ Å ^ ç ^ ^ } Å@ Å | æ | • Åæ å Å@ Åä * • È
@ • ^ Å ä | Å ^ Å • ^ å Å } Å | @ Å@ Å | Å | Å | Å | { Åä * • È



| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|--|---|-----|
| 1 | 01-05-0054 | TR bottom ring assembly | 1 |
| 2 | 01-05-0049 | TR-32 Ring | 1 |
| 3 | PT34-2x4-TR, RST34-2x4-TR, or U34-2x4-TR | 2 x 4 Pressure Treated TR Plank (34"), 2 x 4 Redwood Stained TR Plank (34"), or 2 x 4 Untreated TR Plank (34") | 20 |
| 4 | 33-01-0001 | 5/16" Hex Nut (Zinc) | 40 |
| 5 | 33-02-0001 | 5/16" Zinc Plated Washer | 40 |
| 6 | 33-01-0002 | 3/8" Hex Nut (Zinc) | 20 |
| 7 | 33-06-0019 | 5/16" x 2-1/2" Carriage Bolt (Zinc) | 20 |
| 8 | 33-06-0002 | 5/16" x 2" Carriage Bolt (Zinc) | 20 |



Q ÕÜUW P ÖÁ UW P V Q ÕÁÚV Q P



Ⓐ; FCI B8 ACI BH: CF HF5 G< F979DH57 @9

Øæ ^KGEÄD+UÖËÇFGÄ æ*^Ä|^Ë æççã ã^äÁc~&c|æÄ^|Ä ää*Ä
Ü^&| çæ|^Ä [~] çä*Ä|æ•Äæ^ÄÄ æ*^ÄÄ+ÄÄ+Ä^|Ä|æÄ äÄÄ|•È



Øæ ^/Ŏ[æð * /Ŏ^&c[• cæð / , á^! /&[æ^ á /æ[] ææ / Á ç^} &^ / ^ á È

Pæå, æ^10E|Áæ|••Ác^|Áæå, æ^Áæc^}^1•ÁQ&~ååE

$$\ddot{O}\ddot{a} \wedge \cdot \ddot{a} \cdot \dot{K}U\zeta \wedge | \ddot{a} | \ddot{a} \wedge \cdot \ddot{a} \cdot \dot{S} \dot{A} G \dot{A} \dot{F} \dot{D} + \dot{C} \dot{A} + \dot{C} \dot{A} + \dot{E}$$

0Ee2&@ÁŌŚQÁĤ@ÁÜËGÁ@,}Á•ā*Á]^8āáÁ@ā,æ^È


Ò•ǵ æ̃^âÄ~^ã^âÂ[} &^cK
Í ÄÄ €àÁœ•Ä-Â[} &^cÁ æ̃



| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|--------------|------------------------------|-----|
| 1 | 33-02-0007 | 5/16" SS Washer | 8 |
| 2 | P-01-05-0052 | receptacle inground mount | 1 |
| 3 | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 4 |
| 4 | 33-03-0012 | 5/16" Kep Nut (SS) | 4 |

0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

GI F: 579`ACI BH: CF`HF5 G<`F979DH57 @



0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

0123456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899

| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|--------------|------------------------------|-----|
| 1 | 33-02-0007 | 5/16" SS Washer | 8 |
| 2 | P-01-05-0053 | receptacle surface mount | 1 |
| 3 | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 4 |
| 4 | 33-03-0012 | 5/16" Kep Nut (SS) | 4 |


ΝΥΨΑΨΝΩΡΨ

' &; 5 @CB: @5 H'HC'D

T æ' i ã Á [] Á | æ' Á @| Á ^ Á æ' i ã Á { , Á Ì Á æ' * ^ Á c ^ | Á æ' i ã
• } Á Á | { É U • ã ^ Á @| Á c ^ Á f Á ã ã • È


Ô[æä * k0^&c[•æäÄ [, å^! /& æ^å/æ] |ææä } Ä ç^ } Å ~ !^åÈ

Q̇ āā^āĀ^ā&[ae] * Āē] | Bae } Ā āQĀ~] ^! ā! Ā ^&@e BaeĀ
]^!{-|{ e & Ē] aeĀ• ā e & Ā ē āMXE caēāē E




ØVÜËHGËì

Ü^&[œ&Á/[] Ää ^} .ä } .K
 Ô^} ç'Á] ^} ä * Á @ç/Á Ä
 Í +Ä . ä'Ä ää ^ç' EV@
 [ç'ä/Ä ä ^} .ä } .Ä @ç/Á ^
 G +Ä ää ^ç'Á Ä G Ä Ä Ä




ØVÜËHGËI

Ü^&[]œ&Á/[]Äö^ } .ä } .K
 Ô^ } ç^Á]^ } ä* Á @ç&Á/Äö
 Fl +Äö .ä&Á/Äö ^ç^Á/Äö
 [ç^Á/Äö^ } .ä } .Ä @ç&Á/Äö
 G +Äö ^ç^Á/Äö G+Äö Ä



Ü Ó Û Æ Ħ Ğ €

Ü^&[c&^A/[] Ää ^}.ä}.K
 Ô^} c^A/ ^} ä * A @&^Aä
 ì +ä. ä^Aä^ ^c^E/@
 [c^A/ä^Aä ^}.ä}.A @&^A^
 G +ä^ ^c^A/FF/Ä @



Ü Ó Û Ë Ì Ñ

Ü^&[æ] ^Á/[] Äö ^} .ä } •K
Ô\ ç' Á \) ä * Ä @æ/Ä/Ä@
Fl /ä /ä ~ä ~ä ^ç' ÄV@
[ç'! æ/ä ä ^} .ä } •Ä @æ/Ä/
G /ä ~ä ^ç' ÄFF-Ä@ @

p[c'ÁÐÄP^cÁ~•Á~•cÁ^Á} Á@Á# ÄÁGËEÄÖæ!æ^Á[|cÁ^ç ^^^} Á@Ä^& &^áÁÚæ\•Áæ áÁ@ÁÜË-GÁä*Á} Á/UÁÁ} |^ Á Á|á^!Á[|Á] Á ÁäÈ



VUÚÁÚVŨPÙ

' &; 5 @CB'5G<'I FB'HCD

T æ' ãhV[] Á |æ' Á @hÁ' Áæi ðæ' áÁ[{ Á' Á æ' ^ Á c^ | Áæ' Á' } Á' Á |{ È
X^ | ðæ' Á[• • Áæ' Á' ðæ' Áæ' ^ c' | Á c^ | Á' á • ÈÖ[] } ^ Á'] Á @hÁ' Áæi ðæ' á
+ [{ Áæ' Á æ' ^ Á c^ | Áæ' Á' } Á' Á |{ ÈÖ Ö Á' } Á @hÁ' Áæi ðæ' áÁ[{ Áæ'
* æ' ^ Á c^ | Áæ' Á' } Á' Á |{ ÈÖ Á' ^ d ðæ' Á' Ö Á' ^ á á È

Ô[æ' * KÖ ^ d[• æ' Á[, á ^ | Á' æ' á Áæ'] | ðæ' } Á' c^ } Á' ^ á È

Ö' ãá ^ á Á á Áæ' æ' * Áæ'] | ðæ' } Á' æ' Á'] ^ á Á' Á ^ & æ' ðæ' Á' ^ |{ æ' & È
á] æ' Á' ^ á æ' & Áæ' á ÁVXÈ æ' áæ' È



ÖVÜÈÖÈ

ÖVÜÈÖÈ

Ü ^ &] æ' ÁÖá ^ } • á } • K
Ô ^ } c' Á] ^ } á * Á @hÁ' Áæ' Á +
á • ãá Áæ' ^ c' | ÈV Ö Á' c' æ'
áá ^ } • á } • Á @hÁ' Á +
áæ' ^ c' | Á' FFEÖ + Ö Ö

Ü ^ &] æ' ÁÖá ^ } • á } • K
Ô ^ } c' Á] ^ } á * Á @hÁ' Áæ' Á +
á • ãá Áæ' ^ c' | ÈV Ö Á' c' æ'
áá ^ } • á } • Á @hÁ' Á +
áæ' ^ c' | Á' FFEÖ + Ö Ö

P[c' Á' È Á' P^ c' Á' • Á' ^ • Á' Á' } Á' @ Á' È Á' Á' È È Á' Ö æ' ãá ^ Á'] | Ö Á' c' ^ } Á' @ Á' ^ & & ^ á Á'] æ' \ • Áæ' á Á' @ Á' VÜÈÖ Áá * Á' } Á' VÜÁ'] ^ Áæ' Á' á ^ | Á' | Á'] Á' Áæ' È

ÚŠĚHG
HGŌǎ|| } Šǎ^!
T ǎǎ^ǎ ǎ@ǎǎ^ ǎǎ^ c ǎ |ǎ cǎÈ

